

FIG. 1




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7a




FIG. 7b




Figure 1 consists of 12 bar charts, labeled (a) through (l), each representing a different demographic or lifestyle category. The categories are: (a) Age, (b) Sex, (c) Education, (d) Employment, (e) Income, (f) Health, (g) Social, (h) Family, (i) Friends, (j) Pets, (k) Hobbies, and (l) Travel. Each chart has a y-axis representing the percentage of the total sample, ranging from 0 to 100. The x-axis for each chart lists four groups: Control (white bars), Mild (light gray bars), Moderate (medium gray bars), and Severe (dark gray bars). The data shows varying distributions across groups. For example, in (a) Age, the Control group has the highest percentage in the 18-24 range, while the Severe group has the highest percentage in the 65+ range. In (b) Sex, the Control group has a higher percentage of females, while the Severe group has a higher percentage of males. In (c) Education, the Control group has a higher percentage of high school graduates, while the Severe group has a higher percentage of college graduates. In (d) Employment, the Control group has a higher percentage of full-time employees, while the Severe group has a higher percentage of unemployed individuals. In (e) Income, the Control group has a higher percentage in the \$10,000-\$20,000 range, while the Severe group has a higher percentage in the \$20,000-\$30,000 range. In (f) Health, the Control group has a higher percentage of 'Good' health, while the Severe group has a higher percentage of 'Poor' health. In (g) Social, the Control group has a higher percentage of 'High' social interaction, while the Severe group has a higher percentage of 'Low' social interaction. In (h) Family, the Control group has a higher percentage of 'Large' family, while the Severe group has a higher percentage of 'Small' family. In (i) Friends, the Control group has a higher percentage of 'Many' friends, while the Severe group has a higher percentage of 'Few' friends. In (j) Pets, the Control group has a higher percentage of 'No' pets, while the Severe group has a higher percentage of 'Yes' pets. In (k) Hobbies, the Control group has a higher percentage of 'Many' hobbies, while the Severe group has a higher percentage of 'Few' hobbies. In (l) Travel, the Control group has a higher percentage of 'Frequent' travel, while the Severe group has a higher percentage of 'Rare' travel.



Figure 1 consists of 12 bar charts, labeled (a) through (l), each representing a different demographic or lifestyle category. The categories are: (a) Age, (b) Sex, (c) Education, (d) Employment, (e) Income, (f) Health, (g) Social, (h) Family, (i) Friends, (j) Pets, (k) Hobbies, and (l) Travel. Each chart has a y-axis representing the percentage of the total sample, ranging from 0 to 100. The x-axis for each chart lists four groups: Control (white bars), Mild (light gray bars), Moderate (medium gray bars), and Severe (dark gray bars). The data shows varying distributions across groups. For example, in (a) Age, the Control group has the highest percentage in the 18-24 range, while the Severe group has the highest percentage in the 65+ range. In (b) Sex, the Control group has a higher percentage of females, while the Severe group has a higher percentage of males. In (c) Education, the Control group has a higher percentage of high school graduates, while the Severe group has a higher percentage of college graduates. In (d) Employment, the Control group has a higher percentage of full-time employees, while the Severe group has a higher percentage of unemployed individuals. In (e) Income, the Control group has a higher percentage in the \$10,000-\$20,000 range, while the Severe group has a higher percentage in the \$20,000-\$30,000 range. In (f) Health, the Control group has a higher percentage of 'Good' health, while the Severe group has a higher percentage of 'Poor' health. In (g) Social, the Control group has a higher percentage of 'High' social interaction, while the Severe group has a higher percentage of 'Low' social interaction. In (h) Family, the Control group has a higher percentage of 'Large' family, while the Severe group has a higher percentage of 'Small' family. In (i) Friends, the Control group has a higher percentage of 'Many' friends, while the Severe group has a higher percentage of 'Few' friends. In (j) Pets, the Control group has a higher percentage of 'No' pets, while the Severe group has a higher percentage of 'Yes' pets. In (k) Hobbies, the Control group has a higher percentage of 'Many' hobbies, while the Severe group has a higher percentage of 'Few' hobbies. In (l) Travel, the Control group has a higher percentage of 'Frequent' travel, while the Severe group has a higher percentage of 'Rare' travel.



FIG. 11




FIG. 11



FIG. 12

